

Recommended Maximum With (mm) for Correct Load Support						
Duty	Light Duty	Light to Medium	Medium Duty	Heavy Duty	Extra Heavy Duty	
Reference	Density up to 800kg/m and lumps up to 20mm	Density up to 800kg/m and lumps up to 20mm	Density up to 800kg/m and lumps up to 20mm	Density up to 800kg/m and lumps up to 20mm	Density up to 800kg/m and lumps up to 20mm	Density up to 800kg/m and lumps up to 20mm
160/2	600	450	300	Not Recommended	Not Recommended	
200/2	750	600	450	Not Recommended	Not Recommended	
250/2	900	750	750		400	Not Recommended
250/3	1050	900	750		500	
315/2	900	900	750		450	Not Recommended
315/3	1200	1050	1050		750	450
315/4	1350	1200	1050		750	600
400/2	1200	1050	900		750	500
400/3	1200	1050	1050		750	500
400/4	1500	1500	1350		900	50
400/5	1800	1650	1500		1200	900
500/2	1200	1050	1050		750	600
500/3	1200	1050	1050		750	600
500/4	1650	1500	1500		1200	900
500/5	1800	1800	1800		1500	1350
630/2	1350	1350	1350		1200	1050
630/3	1650	1500	1500		1350	1200
630/4	1350	1200	1200		1050	900
630/5	1500	1350	1350		1200	1050
800/2	1350	1200	1200		1050	750
800/3	1800	1650	1500		1200	750
800/4	2200	1650	1500		1500	1200
800/5	2500	2500	2200		1800	1500
	1000/3	2200	1650	1500	1200	1050
	1000/4	2500	1800	1800	1500	1350
	1000/5	2500	2500	2200	1800	1500
	1250/3	2200	1800	1800	1350	1200
	1250/4	2500	2200	2200	1650	1500
	1250/5	2500	2500	2500	1800	1800
	1600/4	2500	2500	1800	1800	1800
	1600/5	2500	2500	2500	2200	1800